

SNP2NN/...B2AA



SKUPINA 2

Technické dáta



		Veľkosť							
		4,0	6,0	8,0	011	014	017	019	022
Objem	ccm	3,9	6,0	8,4	10,8	14,4	16,8	19,2	22,8
Maximálny tlak	bar	280	280	280	280	280	280	230	200
Menovitý tlak		250	250	250	250	250	250	210	180
Maximálne otáčky	min-1	4000	4000	4000	4000	3500	3000	3000	3000
Hmotnosť	kg	2,30	2,40	2,50	2,70	2,90	3,00	3,10	3,20
Prietok pri 1400 ot/min	l/min	4,91	7,56	10,58	13,61	18,14	21,17	24,19	28,73
Teoretický prietok pri max otáčkach	l/min	15,60	24,00	33,60	43,20	50,40	53,40	57,60	68,40

Montážna príruka

Hriadel'

B2		D80+4 otvory pre skrutky + špeciálny slot pre gufero (BAT)	AA		1:5 tapered
----	---	--	----	---	-------------

Porty

Sanie		Výtlak	
B7		20x40xM6	B5 

Rozmery

	4,0	6,0	8,0	011	014	017	019	022
A	43,25	45,00	45,00	49,00	52,00	52,00	56,00	59,00
B	90,00	93,50	97,50	101,50	107,50	111,50	115,50	121,50





025
25,2
175
160
3000
3,30
31,75
75,60



025
59,00
125,50

